

# SAFETY DATA SHEET

in accordance with 29 CFR 1910.1200

Issue Date: 11/29/12 Revision Date: 3/29/21

Revision #: 4 SDS #: ALP09

# **SECTION 1: IDENTIFICATION**

(a) Product Identifier: Graphic-AL™ HP/LT

(b) Other means of Identification: None

(c) Recommended Use: Interior and Exterior Signage Display

(d) Manufacturer/Importer/Distributor: Mitsubishi Chemical Composites America, Inc.

401 Volvo Parkway, Chesapeake, VA 23320

757-382-5750

(e) Emergency Phone Number: Chemtrec 1-800-424-9300

# **SECTION 2: HAZARD(S) IDENTIFICATION**

(a) Chemical Classification Not classified as hazardous according to OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

(b) Signal Word:

 Hazard Statement(s):
 Symbol(s):
 Precautionary Statement(s):

 (c) Hazards Not Otherwise Classified
 Not applicable
 None Known

(d) Supplemental Information None

NOTE: This product is an "article" according to 29 CFR 1910.1200.

"Article means a manufactured item other than a fluid or particle, which is formed to a specific shape or design during manufacture which has end use function dependent in whole or in part upon its shape or design during end use, and which under normal conditions does not release more than very small quantities or trace amounts of a hazardous chemical, and does not pose a physical hazard or health risk to employees."

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Components	CAS Number	Percent
Polyethylene	9002-88-4	50-70%
Aluminum	7429-90-5	30-50%
Polyester Coating	Trade Secret	1%

<sup>\*</sup>Concentration of ingredients varies depending upon the thickness of the material.

# **SECTION 4: FIRST-AID MEASURES**

(a) Eye contact Dust from processing. Rinse eyes with water or saline

for at least 15 minutes. Consult a physician.

Product Name: Graphic-AL™ HP/LT

SDS #: ALPO9 Revision #: 3 Revision Date: 3/21/17 Issue Date: 11/29/12

Skin Contact Dust from processing. Wash with soap and water for at least 15

minutes. Get medical attention if irritation develops or persists.

Inhalation Dust from processing. Move to fresh air. Consult a physician.

Ingestion Not likely due to form of product.

(b) Most important Symptoms/Effects Dust and fumes from processing can be irritating to eyes,

respiratory system and skin. Heating above melting point may

cause metal fume fever by inhalation.

(c) Medical conditions aggravated by

exposure

Asthma, Chronic lung disease. Accumulation of dust in the

respiratory system may cause moderate congestion.

(d) Indication if immediate medical

attention and special treatment

No data available.

#### **SECTION 5: FIRE-FIGHTING MEASURES**

(a) Suitable extinguishing media Use Class D extinguishing agents on fines or molten metal.

Unsuitable extinguishing media Do not use halogenated extinguishing agents on small

chips/fine dusts.

Do not use water in fighting fires around molten metal.

(b) Specific hazards Combustion products include carbon monoxide, carbon dioxide,

nitrogen oxide, and smoke. Under certain conditions some

aliphatic aldehydes and carboxylic acids may form.

(c) Special PPE and precautions for

fire fighters

Fire fighters should wear NIOSH approved, positive pressure, self-contained breathing apparatus and full protective clothing

when appropriate.

# **SECTION 6: ACCIDENTAL RELEASE MEASURES**

(a) Personal precautions, PPE, and Avoid contact with sharp edges or heated metal. Use PPE

emergency procedures recommended in Section 8.

(b) Methods and materials for containment

and cleaning up

Should a release of dust occur, contain by blocking routes to surface water and grassy areas. Clean up by sweeping and

depositing in a closed container.

# **SECTION 7: HANDLING AND STORAGE**

(a) Precautions for safe handling Avoid generating dust. Avoid contact with sharp edges or

heated metal.

(b) Conditions for safe storage No special storage precautions noted.

# SECTION 8: EXPOSURE CONTROLS/ PERSONAL PROTECTION

(a) Occupational Exposure Limits

2/5

Component	OSHA Permissible Exposure Limits (PEL)		ACGIH (TLV)
	Total	Respirable	Respirable Fraction
Polyethylene	10 mg/m3	5 mg/m3	N/A

Aluminum 15 mg/m3 5 mg/m3 1 mg/m3

(b) Appropriate Engineering Controls If dust is generated through processing, use with adequate

ventilation designed to handle particulates to meet the

occupational exposure limits listed in Section 8(a).

(c) Individual protective measures, PPE

**Eye/Face Protection** Safety glasses with side shields or goggles recommended. Skin Protection Avoid contact with sharp edges. Cut resistant gloves

recommended.

**Respiratory Protection** Dust from processing. Use NIOSH approved respiratory

protection if concentrations exceed the occupational exposure

limits listed in Section 8(a).

Thermal Hazards When material is heated, wear gloves to protect against

thermal burns.

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

(a) Appearance Solid panel, Various Colors

(b) Odor **Odorless** 

(c) Odor Threshold Not applicable (d) pH Not applicable

1149-1220 °F Aluminum/ 219-239 °F Polyethylene (e) Melting Point/Freezing Point

(f) Initial Boiling Point and Boiling Range Not determined

716 °F (g) Flash Point

(h) Evaporation Rate Not applicable (i) Flammability (solid, gas) Not applicable (j) Upper/Lower Flammability Not applicable

**Explosive Limits** Dust clouds may be explosive under certain conditions

(k) Vapor Pressure Not applicable (I) Vapor Density Not applicable (m) Density (specific gravity) Not determined

(n) Solubility Insoluble (o) Partition Coefficient Not applicable

(p) Auto Ignition Temperature 752 °F

(q) Decomposition Temperature Not determined Not applicable (r) Viscosity

# SECTION 10: STABILITY AND REACTIVITY

3/5

(a) Reactivity The product is stable and non-reactive under normal conditions

of use, storage, and transport.

(b) Chemical Stability Stable under normal conditions of use, storage, and transport.

(c) Possibility of hazardous reactions Hazardous polymerization does not occur. (d) Conditions to avoid None

(e) Incompatible materials Not applicable

(f) Hazardous decomposition products Carbon monoxide, carbon dioxide, nitrogen oxide, and smoke.

Under certain conditions some aliphatic aldehydes and

carboxylic acids may form.

# **SECTION 11: TOXICOLOGICAL INFORMATION**

(a) Acute toxicity(b) Skin corrosion/irritationNot classified.Not corrosive.

(c) Serious eye damage/irritation Dust from processing may cause eye irritation.

(d) Respiratory or skin sensitization Dust and fumes from processing may cause respiratory

irritation. Not a skin sensitizer.

(e) Germ cell mutagenicity
 (f) Carcinogenicity
 (g) Reproductive toxicity
 (h) STOT-single exposure
 (i) STOT-repeated exposure
 Not classified.
 Not classified.

(j) Aspiration hazard Not an aspiration hazard.

(k) Chronic effects Dust and fumes from processing may cause scarring of the

lungs, central nervous system damage.

# **SECTION 12: ECOLOGICAL INFORMATION**

(a) Ecotoxicity No toxic effects to ecosystems.(b) Persistence and degradability No information available.

(c) Bioaccumulative potential
(d) Mobility in soil

No information available.
No information available.

(e) Other adverse effects None known

# **SECTION 13: DISPOSAL CONSIDERATIONS**

Disposal Instructions Reuse or recycle material whenever possible. If reuse or

recycling is not possible, dispose in accordance with

federal, state, and/or local regulations.

# **SECTION 14: TRANSPORT INFORMATION**

4/5

(a) UN Number
 (b) UN proper shipping name
 (c) Transport Hazard Class(es)
 (d) Packing Group
 (e) Environmental Hazards
 (f) Transport in Bulk
 Not applicable
 Not Applicable
 Not Applicable

Product Name: Graphic-AL™ HP/LT

SDS #: ALPO9 Revision #: 3 Revision Date: 3/21/17 Issue Date: 11/29/12

# **SECTION 15: REGULATORY INFORMATION**

OSHA: This product is not classified as hazardous under the criteria set forth by 29 CFR 1910.1200, Hazard Communication.

Federal and State Regulations: There is no classification data available on carcinogenic properties of this material from EPA, IARC, NTP, OSHA, or ACGIH.

Components of this product are subject to the following regulatory requirements and/or appear on the following associated chemical inventory list(s): Toxic Substance Control Act (TSCA), European Inventory of Existing Commercial Substances (EINECS), Australian Inventory of Chemical Substances (AICS), Domestic Substances List (DSL), Korea Existing Chemicals List (KECL), Phillipines Chemical Inventory (PICCS).

# **SECTION 16: OTHER INFORMATION**

SDS #: ALP09

Issue Date: 11/29/12 Revision Date: 3/21/17

Revision #: 3

**Disclaimer:** The information presented in this Safety Data Sheet is based on data believed to be accurate as of the date this Safety Data Sheet was prepared. The information above is provided on the condition that parties receiving the product make their own determination as to the suitability of the product for their particular purpose and assume the risk of use of the product. NO WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR ANY OTHER WARRANTY IS EXPRESSED OR IS TO BE IMPLIED REGARDING THE ACCURACY OR COMPLETENESS OF THE INFORMATION PROVIDED ABOVE, THE RESULTS TO BE OBTAINED FROM THE USE OF THIS INFORMATION OR THE PRODUCT, THE SAFETY OF THIS PRODUCT, OR THE HAZARDS RELATED TO ITS USE.

Mitsubishi has no responsibility or liability for any damage or injury resulting from abnormal use or from any failure to adhere to recommended procedures. Mitsubishi neither grants, nor shall the party receiving the product imply any authorization to practice any patented invention without a license.

<<<< END OF SDS>>>>

Product Name: Graphic-AL™ HP/LT

SDS #: ALPO9 Revision #: 3 Revision Date: 3/21/17 Issue Date: 11/29/12